



# BOUTIQUE FISH MAW GOLD


JQA163212N3062 A



12MM

FINISH-HONED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Table

JQA163212N3062







# INK WHITE

JQA163212G377 A  
JQA163212X377



FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Table

JQA163212G377







# CALACATTA GOLD

▼ JQA163212G52 ABCD  
12MM JQA163212N52  
▲  
FINISH-POLISHED/HONED

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.








■ Floor

JQA163212G52



# NEW VICTORIA

JQA163212G18 ABC  
 JQA163206G18  
 JQA163212X18  
 JQA162712G18  
 JQA162712X18

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall

JQA163212G18  
JQA163206G18  
JQA162712G18








# GILT YEARS

JQA163212G58 AB  
JQA163212N58  
12MM  
FINISH-POLISHED/HOND

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall  
JQA163212G58







# SNOW WHITE

JQA163212G49  
JQA163212X49  
FINISH-POLISHED/MATT

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall  
JQA163212G49







# FISH WHITE



 JQA163212G210 AB  
 JQA163212X210  
 JQA163206X210  
 JQA162712G210  
 FINISH-POLISHED/MATT


1600 × 2700 / 1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.




## ■ Wall

JQA163212G210  
 JQA163206X210  
 JQA162712G210






# GREEK WHITE



JQA163212G22 ABC  
 JQA163206G22  
 JQA162712G22  
 JQA162706X22

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212G22  
 JQA163206G22  
 JQA162712G22  
 JQA162706X22



# FRAGRANT SNOW WHITE



JQA163212G08 ABC  
JQA163206X08  
JQA163206G08  
JQA162712G08  
JQA162712X08

FINISH-POLISHED/MATT

1600×2700 / 1600×3200

## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212G08  
JQA163206G08  
JQA162712G08





# DOLOMITE

▼ JQA163212G45  
12MM ▲  
FINISH-POLISHED

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212G45





# SNOW STONE

12MM JQA163212X56  
FINISH-MATT

1600 × 3200



## Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall  
JQA162812X56



# PURE WHITE



JQA163212G30  
JQA163212N238  
JQA163206N30  
JQA162712X30

*FINISH-POLISHED/MATT/HONED*

1600 × 2700 / 1600 × 3200

## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



# ERSCE WHITE



JQA162712G231  
JQA163212N231

*FINISH-POLISHED/HONED*

1600 × 2700 / 1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ TABLE  
JQA162712G231






# ALPINE WHITE



JQA163212G230 ABC  
 JQA163212X230  
 JQA612612N230  
 JQA163206G230  
 JQA612606X230  
 JQA612606N230

FINISH-POLISHED/MATT

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212G230





# WATERFALL



JQA163212X55  
JQA163212G55

FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212X55





# POIKA WHITE

▼ JQA163212X19  
12MM  
▲ FINISH-MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X19



■ Floor

JQA163212X19



# SNOW STONE

▼  
12MM  
▲  
JQA163212X02  
*FINISH-MATT*

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor  
JQA163212X02






# CATTA WHITE

▼ JQA163212G53 AB  
12MM JQA163212X53  
▲  
FINISH-POLISHED/MATT

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Table

JQA163212G53





# HUA WHITE

▼  
12MM  
▲

JQA163212G03 AB  
JQA162712X03  
JQA162712G03

*FINISH-POLISHED/MATT*

1600×2700 1600×3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.




■ Floor

---

JQA163212G03






# GARDIA CALACATTA GOLD

▼ JQA163212X47  
12MM JQA163212G47  
▲ FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Table  
JQA163212X47



# STAR WHITE

▼ JQA163212G240  
6MM  
▲ FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.






■ Wall

JQA163212G240





# SOFITEL GOLD

 JQA163212G81  
 12MM JQA163212X81  
 FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X81



Island ■

JQA163212X81





# MUSE WHITE

▼ JQA163212G17  
12MM  
▲ *FINISH-POLISHED*

1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA163212G17



Table ■

JQA163212G17






# KARAKAT AKIN

12MM  
JQA163212X51  
JQA163212G51  
*FINISH-POLISHED/MATT*

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall  
JQA163212X51






# ARCTIC OCEAN

12MM JQA163212G60  
FINISH-POLISHED

1600 × 3200




Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall  
JQA163212G60








# PANDORA

JQA163212G46  
FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA162712G219


# MAGNOLIA



JQA163212G85

FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

# SAANNA



JQA163212G07

FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Wall

JQA163212G85






# ROYAL GREY



JQA163212X61

MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212G61



# CEMENT ASH

JQA163212X66



MATT

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X66






# ITALIAN GREY

12MM JQA163212G68 ABC  
FINISH-POLISHED

1600 x 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

### ■ Table

JQA163212G68







# POLARS HADOW GREY

12MM JQA163212G48 ABC  
FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Wall

JQA163212G48



# MONTERIAN PURE GREY

▼  
12MM  
▲  
JQA163212X43  
JQA163212G43  
FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

# PURE GREY

▼  
12MM  
▲  
JQB163212X76  
FINISH-MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Wall  
JQA163212X43



■ Wall  
JQB163212X76





# PHANTOM LIGHT GRAY

12MM JQA163212X62 ABC  
MATT  
1600 × 3200



## Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



# PHANTOM DARK GREY

12MM JQA163212X63 ABC  
MATT  
1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Floor  
JQA163212X62



■ Wall  
JQA163212X63





# ARMANI GREY

12MM  
JQA163212G26  
JQA163212X26  
JQA162712G26  
JQA162712X26

FINISH-POLISHED/MATT

1600 × 3200 / 1600 × 2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



# ARMANI DARK GREY

12MM  
JQA162712X27  
JQA162712G27  
JQA163212X27  
JQA163212G27

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Floor

JQA163212G26



■ Floor

JQA162712X27  
JQA162712G27  
JQA163212X27  
JQA163212G27



# AUSTRALIAN LIGHT GRAY

▼ JQA162712X246  
12MM JQA163212X246  
▲  
MATT

1600 × 2700/1600 × 3200



## Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



# AUSTRALIAN DARK GRAY

▼ JQB162712X246  
12MM JQA163212X246  
▲  
MATT

1600 × 2700/1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.





■ Floor

JQA162712X246



■ Floor

JQB162712X246





# WINDHAM GREY

▼ JQA163212G25  
 12MM JQA163212X25  
 ▲ JQA162712G25  
 JQA162712X25

FINISH-POLISHED/MATT

1600×2700 / 1600×3200



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQA163212G25  
 JQA163212X25  
 JQA162712G25  
 JQA162712X25





# PAPERES BROWN

▼ JQA163212X65 AB  
12MM  
▲ MATT

1600 x 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163212X65






# SPANISH GREY

12MM JQC163212X79

MATT

1600 x 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQC163212X79





# BLACK MARQUINA

▼  
12MM  
▲  
JQC163212G28  
JQA163212X28  
JQC162712G28  
JQA162712X28

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



## Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Island

JQC163212G28  
JQA163212X28  
JQC162712G28  
JQA162712X28





# SHARON

12MM JQC163212X71  
MATT

1600 × 3200



## Technical Info Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Island

JQC163212X80






# BLACK MARQUINA

12MM JQC163212X80  
JQC163212G80  
FINISH-POLISHED/MATT

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQC163212X80






# SHAKESPEAE BLACK

12MM JQC163212X77

MATT

1600 × 3200




Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.

■ Wall

JQC163212X77







# LAUREN KING



JQC163212G29  
JQC162712G29  
JQC163212X29  
JQC162712X29

FINISH-POLISHED/MATT

1600 × 2700 / 1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor

JQC163212G29 / JQC162712G29



# PURE BLACK

12MM  
JQC162712G31  
JQC162712X31  
JQC163212X31  
FINISH-POLISHED/MATT

1600×2700/1600×3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor  
JQC162712G31





# GOLDEN WIND

▼ JQA162712G227 ABC  
12MM  
▲ FINISH-POLISHED

1600×2700



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G227





# CRIMEA

▼ JQA163206G36 AB  
6MM  
▲ FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application




The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



800X2600

■ Floor  
JQA163206G36





■ Island

JQA162712G613J

# AMAZON GREEN

▼ JQA162712G613J  
12MM  
▲ FINISH-POLISHED

1600 × 2700




## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.







# BLACK DRAGON JADE

▼ JQA162712G33  
12MM  
▲ FINISH-POLISHED

1600 × 2700



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G33






# PULPIS GOLD

12MM JQA162712G219 ABC  
FINISH-POLISHED


1600 × 2700



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G219






# SENNA BROWN

12MM JQA162712G224 ABC  
FINISH-POLISHED

1600×2700



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor  
JQA162712G224








# BIRD OF PARADISE

▼ JQA162712G309  
12MM  
▲ FINISH-POLISHED

1600×2700



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA162712G309



Table ■

JQA162712G309






# RHINE BLUE

▼ JQA162812G322  
12MM  
▲ FINISH-POLISHED

1600 × 2800



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQA162812G322





# ITALIAN GOLDEN WHITE

▼ JQA163206G73  
6MM  
▲ FINISH-POLISHED

1600 × 3200



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Wall

JQA163206G73






# QUIET BLIE

12MM JQA162812G323  
FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Floor  
JQA162812G323







# PTEK PHILIPPE

▼ JQA162812G50  
12MM  
▲ FINISH-POLISHED

1600 × 2800



Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



■ Island

JQA162812G50





# CHANEL



JQA162812G59

FINISH-POLISHED

1600 × 2800



## Technical Info | Recommended Application



The super tonnage top pressing forming process and flexible cutting process are used to create conditions for personalized customization and flexible production.



## ■ Table

JQA162812G59






■ Table

JQA162812G59




# TECHNOLOGY


As a new material, sintered stone needs to be perforated on the surface of rock slab for household application. With the help of professional tools, large rock plate can be made out of square hole, round hole and any other hole. Let the physical properties of the rock slab far exceed its external properties.




Square hole of sink



Square hole of deck




Faucet round hole



Round hole of hearth


# EDGES

Dongpeng Sintered Stone has many specifications, thanks to the color matching of the thickness with the surface, can be processed on the sides in different ways in order to obtain several finishes.




Squared ridge at 45°

Rounded ridge at 45°




Straight squared ridge

Rounded straight ridge



Double straight squared ridge

Double straight rounded ridge



L-shaped squared ridge

L-shaped rounded ridge



# PRODUCT COLLECTION



ARCTIC OCEAN

JQA163212G60/1600X3200X12mm



KARAKATA WHITE

JQA163212G353/1600X3200X12mm



PANDORA

JQA163212G46/1600X3200X12mm



CRIMEA

JQA163212G46/1600X3200X6mm



ITALIAN GOLDEN WHITE

JQA163206G73/1600X3200X6mm



BLUE WANAKA

JQA162812G233/1600X2800X12mm



YI JIANGNAN

JQA162812G322/1600X2800X12mm




QUIET BLIE

JQA162812G323/1600X2800X12mm



PTEK PHILIPPE

JQA162812G50/1600X2800X12mm



CHANEL

JQA162812G59/1600X2800X12mm




# PRODUCT COLLECTION




GOLDEN WIND  
JQA162712G227/1600X2700X12mm



INVISIBLE WHITE  
JQA162712G15/1600X2700X12mm  
JQA162706G15/1600X2700X6mm  
JQA162706G15/1600X2700X6mm




AMAZON GREEN  
JQA162712G613J/1600X2700X12mm



BLUE AGATE  
JQA162712G35/1600X2700X12mm



RHINE BLUE  
JQA162712G225/1600X2700X12mm



BIRD OF PARADISE  
JQA162712G309/1600X2700X12mm



SANCARLO  
JQA162712G502/1600X2700X12mm



AMAZON GREEN  
JQA162712G613/1600X2700X12mm




BLACK DRAGON JADE  
JQA162712G33/1600X2700X12mm



PULPIS GOLD  
JQA162712G219/1600X2700X12mm



SENNA BROWN  
JQA162712G224/1600X2700X12mm



BAYBAO BLUE  
JQA162706G235/1600X2700X6mm



AUSTRALIAN LIGHT GRAY  
JQA162712X246/1600X2700X12mm



AUSTRALIAN DARK GRAY  
JQB162712X246/1600X2700X12mm




# PRODUCT COLLECTION



CREEK WHITE  
JQA163212G22/1600X3200X12mm  
JQA163206G22/1600X3200X6mm  
JQA162712G22/1600X2700X12mm  
JQA162706X22/1600X2700X6mm



FRAGRANT SNOW WHITE  
JQA163212G08/1600X3200X12mm  
JQA163206X08/1600X3200X6mm  
JQA162712G08/1600X2700X12mm




SNOW STONE  
JQA163212X02/1600X3200X12mm



VICTORIA  
JQA163212G18/1600X3200X12mm  
JQA163206G18/1600X3200X6mm  
JQA162712G18/1600X2700X12mm



MERI SNOW  
JQA163212G217/1600X3200X12mm  
JQA162712G217/1600X2700X12mm



PURE WHITE  
JQA163212G30/1600X3200X12mm  
JQA163206N30/1600X3200X6mm  
JQA162712G30/1600X2700X12mm



POLKA WHITE  
JQA163212X19/1600X3200X12mm



WATERFALL  
JQA163212X55/1600X3200X12mm  
JQA163212G55/1600X3200X12mm



ALPINE WHITE  
JQA163212G230/1600X3200X12mm  
JQA163206G230/1600X3200X6mm  
JQA162712G230/1600X2700X12mm



AGRA WHITE  
JQA163212G41/1600X3200X12mm




DOLOMITE  
JQA163212G45/1600X3200X12mm



FISHMAU WHITE  
JQA163212G20/1600X3200X12mm  
JQA163206G20/1600X3200X6mm  
JQA162712G20/1600X2700X12mm  
JQA162706G20/1600X2700X6mm



SNOW WHITE  
JQA163212G49/1600X3200X12mm



SOFITEL GOLD  
JQA163212X81/1600X3200X12mm  
JQA163212X80/1600X3200X12mm



FISH WHITE  
JQA163212G210/1600X3200X12mm  
JQA163206X210/1600X3200X6mm  
JQA162712G210/1600X2700X12mm



ERSCE WHITE  
JQA163212N231/1600X3200X12mm



# PRODUCT COLLECTION



HUA WHITE

JQA162712X03/1600X2700X12mm  
JQA162712G03/1600X2700X12mm  
JQA163212G03/1600X3200X12mm




SNOW STONE

JQA162812X56/1600X2800X12mm



STARWHITE

JQA163212G240/1600X3200X12mm




MUSE WHITE

JQA163212G17/1600X3200X12mm



GARDA CALACATTA GOLD

JQA163212X47/1600X3200X12mm



CALACATTA WHITE

JQA163212G53/1600X3200X12mm




CALACATTA GOLD

JQA163212G52/1600X3200X12mm




GILT YEARS

JQA163212G58/  
1600X3200X12mm



SAANNA

JQA163212G07/1600X3200X12mm



MAGNOLIA

JQA163212G85/1600X3200X12mm



CEMENT ASH

JQA163212X66/1600X3200X12mm



PHANTOM DARK GRAY

JQA163212X63/1600X3200X12mm



ITALIAN GREY

JQA163212G68/1600X3200X12mm



POLAR SHADOW GREY

JQA163212G48/1600X3200X12mm



ROYAL GREY

JQA163212X61/1600X3200X12mm




PURE GREY


JQB163212X76/1600X3200X12mm



# PRODUCT COLLECTION




MONTERIAN PURE GREY  
JQA163212X43/1600X3200X12mm




WINDHAM GREY  
JQA163212G25/1600X3200X12mm  
JQA162712G25/1600X2700X12mm




ARMANI GREY  
JQA163212G26/1600X3200X12mm  
JQA162712G26/1600X2700X12mm



ARMANI DARK GREY  
JQA163212X27/1600X3200X12mm  
JQA163212G27/1600X3200X6mm  
JQA162712X27/1600X2700X12mm  
JQA162712G27/1600X2700X6mm



PHANTOM LIGHT GRAY  
JQA163212X62/1600X3200X12mm



SHARON  
JQC163212X71/1600X3200X12mm




SHAKESPEARE BLACK  
JQC163212X77/1600X3200X12mm



SPANISH GREY  
JQB163212X79/1600X3200X12mm



BLACK MARQUINA  
JQC163212X80/1600X3200X12mm



MUNICH STONE  
JQC163212G32/1600X3200X12mm  
JQC162712G32/1600X2700X12mm



BLACK MARQUINA  
JQC163212G28/1600X3200X12mm  
JQC162712G28/1600X2700X12mm



LAUREN KING  
JQC163212G29/1600X3200X12mm  
JQC162712G29/1600X2700X12mm



PAPES BROWN  
JQA163212X65/1600X3200X12mm



PAPES BROWN  
JQA163212X3047



PAPES BROWN  
JQA163212X392